



Calming Face Mask OW
I-31.110.01B_1

Phase	Material Name	US INCI	Supplier	% Material
A	Olivem 1000 MB	Cetearyl Olivat Sorbitan Olivat	Hallstar	3.00
A	Oliwax LC MB	Cetyl Palmitat Sorbitan Palmitat Sorbitan Olivat	Hallstar	3.50
A	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	3.00
A	Lanette O MB	Cetearyl Alcohol	BASF	3.00
A	Cetiol SB 45	Butyrospermum Parkii (Shea) Butter	BASF	2.00
A	Eutanol G	Octyldodecanol	BASF	2.00
B	Deionized Water	Water	N.A.	72.79
B	Solagum AX	Acacia Senegal Gum Xanthan Gum	SEPPIC	1.00
B	Zemea	Propanediol	DuPont Tate & Lyle	6.00
B	Euxyl PE 9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.50
C	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
D	Perfume Sensual Beauty 408	Fragrance	IFF	0.21
				100.00

Operating Instructions

Predisperse the Solagum, then add other ingredients of B. Heat up A /B to 85°C separately. Add A to B under stirring and homogenize for 3 minutes. Cool down while stirring. Add C below 30°C and stir until uniform. Add D as desired.

Directions for use:

Apply over clean skin in a thin layer. After 10 minutes, lightly massage residues into the skin or wipe away with tissue.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com