



Radiant Cleansing Mask OW  
I-76.135.02

Phase	Material Name	US INCI	Supplier	% Material
A	Axol C 62 Pellets MB	Glyceryl Stearate Citrate	Evonik	3.50
A	Cetiol C 5C	Coco-Caprylate/Caprates	BASF	3.00
A	Miglyol 829	Caprylic/Capric/Succinic Triglyceride	IOI Oleo	3.00
A	Lanette O MB	Cetearyl Alcohol	BASF	1.00
A	CutiBiome CLR™	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	1.50
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.50
B	Deionized Water	Water	N.A.	42.42
B	Euxyl K 712	Sodium Benzoate Potassium Sorbate Water	Ashland	0.80
B	Zemea	Propanediol	DuPont Tate & Lyle	5.00
C	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
C	CutiGuard CLR™	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
C	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	1.00
D	Deionized Water	Water	N.A.	12.00
D	COLOR CLAY VULCANUS	Kaolin	COLOR CLAY	10.00
E	Pharmakaolin B860	Kaolin	HPF The Mineral Engineers	10.00
F	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.28
				100.00

**Operating Instructions**

Heat up A and B to 80°C separately. Add A to B and homogenize for 3 minutes. Cool down while stirring and add C and premixed phase D below 60°C. Adjust pH value with E to 5.3-6.

Directions for use:

Apply a generous amount in a covering layer on the cleansed skin (T-Zone) of the face and let the mask work for 10-20 minutes. Rinse-off with lukewarm water or remove with a washcloth. Apply the mask 2 to 3 times a week.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)