



Come As You Are - All-in-One Clay Mask OW  
I-76.135.05A

Phase	Material Name	US INCI	Supplier	% Material
A	Axol C 62 Pellets MB	Glyceryl Stearate Citrate	Evonik	3.50
A	Cetiol C 5C	Coco-Caprylate/Caprata	BASF	3.00
A	Miglyol 829 ECO	Caprylic/Capric/Succinic Triglyceride	IOI Oleo	3.00
A	Lanette O MB	Cetearyl Alcohol	BASF	1.00
A	<b>CutiBiome CLR™</b>	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	1.50
A	Keltrol T Plus	Xanthan Gum	CP Kelco	0.50
A	<b>CutiGuard CLR™</b>	Betaine Sucrose Hydrolyzed Rhodophyceae Extract Water	CLR	3.00
B	Deionized Water	Water	N.A.	53.95
B	Zemea	Propanediol	DuPont Tate & Lyle	5.00
B	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	1.00
B	COLOR CLAY VULCANUS	Kaolin	COLOR CLAY	10.00
B	COLORCLAY IVORY	Kaolin	COLOR CLAY	10.00
C	Euxyl K 900	Benzyl Alcohol Ethylhexylglycerin Tocopherol	Ashland	0.80
C	<b>CutiFine CLR™</b>	Water Vaccaria Segetalis (Cowherb) Extract Adansonia Digitata (Baobab) Pulp Extract	CLR	3.00
D	Citric Acid (50%)	Citric Acid Water	N.A.	0.50
E	Perfume Clean Rosemary Natura	Fragrance	Duellberg	0.25
				<b>100.00</b>

#### Operating Instructions

Heat up A and B to 78°C separately. Add A to B and stir. Homogenize for 3 minutes and cool down while stirring. Add C below 60°C and stir cold. Adjust pH value to 5.5-6.5 with D, add E as desired and homogenize for a short moment again.

Directions for use:

Apply a generous amount in a covering layer on the cleansed skin of the face and let the mask work for 10-20 minutes. Rinse off with lukewarm water or remove with a washcloth. Apply the mask 2 to 3 times a week.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)