



Soothing Clay Gel to Milk Cleanser  
IV-5.135.01A

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	<b>MultiMoist CLR™</b>	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
A	Glycerin 86%	Glycerin Water	Gustav Heess	36.00
A	Sisterna PS750-C	Sucrose Palmitate	Sisterna	2.25
B	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	51.45
B	<b>CutiBiome CLR™</b>	Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract	CLR	3.00
B	Copherol F 1300 C	Tocopherol	BASF	0.10
B	COLOR CLAY ROSA	Kaolin	COLOR CLAY	4.00
C	Perfume Nepal Flowers	Fragrance	Frey+Lau	0.20
				<b>100.00</b>

***Operating Instructions***

Disperse A while heating to 70°C (magnetic stirrer). Heat up B to 70°C too. Homogenize A with Ultra Turrax for 1 minute. Add C to B. Slowly add B to A with Ultra Turrax. Cool down with moderate stirring.

**Directions of use:**

Apply on the skin and massage gently. Leave on the skin for one minute. Removing with water the gel become a white milk. Dry with tissue or towel.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - [www.clr-berlin.com](http://www.clr-berlin.com)